

Set up the sample app

Run the supplied request-board example and understand its boundaries.

THE FINISHED RESULT

The demo runs and you can explain where its data lives. No local-only demo is described as a deployed multi-user app.

Before you start

Environment: React + JavaScript + Supabase for the connected path; plain JavaScript local demo

Access and plan: The supplied local demo needs only a browser. The connected path requires Node, a React project, a Supabase development project and approved test accounts.

Practice project: Harbor request board

Use a separate demo project and fictional information. Record the exact project and version you use. Keep passwords, verification codes and private customer information out of screenshots and notes.

Official walkthroughs

React: [Learn](#)

Supabase: [React quickstart](#)

Open the credited publisher walkthrough for current interface instructions and available screenshots, then return to the SETLY exercise. External courses remain with their publishers; this PDF does not reproduce their complete tutorial.

Your practice task

Finish one action at a time. Inspect the resulting screen or record before moving on. If a control differs, check the matching official instructions instead of guessing.

01 / Step 1

Download the app example and serve the folder locally. Open the request board and create a fictitious item named Kitchen consultation.

Check: record what changed and confirm you are still working in the intended demo project.

02 / Step 2

Identify the interface, data storage and status fields in the source. The local demo uses browser storage; it is not a secure shared database.

Check: record what changed and confirm you are still working in the intended demo project.

03 / Step 3

Refresh and confirm the demo item remains in the same browser. Open a different browser profile and compare its separate data.

Check: record what changed and confirm you are still working in the intended demo project.


04 / Step 4

For a connected app, follow the linked React and Supabase quickstart with a project you own; keep the demo and connected environments distinct.

Check: record what changed and confirm you are still working in the intended demo project.

Start with an empty request board

Captured from the supplied working example. The request board uses local browser storage; this is not evidence of a connected database or authentication.



Source: Ray / SETLY. Original SETLY demo screenshot.

<https://ray.setlyglobal.com/examples/request-board/>

Test, troubleshoot, repeat.

If something goes wrong

If the list appears empty in another browser, that is expected for the local example. Connected storage is a separate implementation step.

If your screen is different

Compare the product, editor, user permissions and selected account with the guide. Open the official reference for your version. Do not perform a live change whose effect you cannot verify.

Final verification

The demo runs and you can explain where its data lives. No local-only demo is described as a deployed multi-user app.

Repeat the task with one small variation. Record the test date, project/version, expected result, observed result and a non-sensitive evidence reference. Mark skipped checks as untested.

Your evidence record

Test date: _____ Project/version: _____

Observed result: _____

Evidence reference: _____

Remaining issue and next action: _____

Sources and guide status

Original exercise by Ray / SETLY. Credited technical references are linked on page one. Prepared 1 October 2026. SETLY screen recording and independent learner reproduction are not yet complete. No platform affiliation is implied.

[Open the online practice guide and editable checklist](#)